Ecosystem - Key terms

Key term	Definition
Ecosystem	A community of plants and animals that interact with one another and their physical environment.
Abiotic	Relating to non living things.
Biotic	Relating to living things.
Producer	An organism or plant that is able to absorb energy from the sun through photosynthesis.
Primary consumer	Creature that eats plant matter. Also known as a herbivore.
Secondary consumer	Creature that eats other animals. Also known as a carnivore.
Decomposer	An organism that breaks down dead plant and animal matter.
Food chain	The connections between different organisms that rely on one another as their food source.
Food web	A complex hierarchy of plants and animals relying on each other for food.
Biome	A large global ecosystem with flora and fauna adapting to their environment.

Tropical Rainforest - Vegetation



- Competition for light causes trees to grow fast. They are tall and straight. Buttress roots support these tall trees.
- Plants on the forest floor are shade tolerant and able to cope in the darker conditions.
- Epiphytes grow high up on the branches of trees to gain access to the light.
- Lianas wrap themselves around other trees to gain access to light.
- Plants have drip tips.

Water and Nutrient Cycle



Distribution of Biomes



Biome	Key Characteristics
Tropical Rainforests	•Along equator (Asia, Africa / South America). •6% of earth's surface. •25°C – 30°C and over 250mm rain per month.
Tropical Grasslands (Savanna)	•Between equator and tropics. •20 – 30°C and between 500 - 1500 mm of rain per year. •Wet and dry seasons.
Deserts	•Tropics (Sahara and Australia). •Over 30°C and less than 250 mmm per year rain. •20% of land's surface.
Deciduous forests	•Higher latitudes (W Europe, N America, New Zealand). •5 – 20°C and between 500 – 1500 mm rain per year. •4 distinct seasons. •Lose leaves in the winter to cope with the cold.
Coniferous forest (Taiga)	•60°N (Scandinavia / Canada). •Cone bearing evergreen trees. •No sunlight for part of the year.
Tundra	•Above 60°N (Arctic Circle). •Less than 10°C and less than 500mm per year rain. •Cold, icy and dry means 2 month growing season.

Effects of deforestation in the Amazon

Economic development

•Brings in jobs and income. •Destroys resources in the long term. •Livelihoods of locals destroyed. •2008 $6.9 billion from cattle. •Rubber tappers lost jobs. •Mercury from gold mining poisons fish.

Soil erosion

•Land left unprotected from heavy rain leads to landslides and flooding. •Nutrients are washed away decreasing nutrients in the soil. •Rivers silt up.

Contribution to climate change

•Trees cut down change the water cycle and make it drier. •Rainforests are the lungs of the earth and so when deforested there is more carbon dioxide in the air and less oxygen. •Burning also releases carbon dioxide into the air (Greenhouse effect).

Others

•Loss of biodiversity - 137 species a day. •Loss of indigenous tribes (90 since 1990). •Tribal people moving to towns and cities and have drugs and alcohol issues. •Loss of indigenous knowledge. •Conflicts between developers and indigenous people.

Causes of deforestation in the Amazon

Commercial farming	Farming to sell produce for a profit. Cattle and crops. Responsible for 80% of Amazon deforestation. Ruins soil and nutrients
Logging	The business of cutting down trees and transporting the logs to sawmills. Selective logging and clear felling. Teak and Mahogany worth the most.
Mineral extraction	The removal of mineral resources from the earth. Gold, Bauxite, Oil and gas. Pollutes rivers and air. Trees above the mines and quarries are removed.
Subsistence farming	A type of agriculture producing food and materials for the benefit only of the farmer and his family or community. Small scale, often slash and burn.
Hydro - electricity	Dams have been built and large areas of rainforest destroyed by flooding.
Resettling	Since 1970 1 million people have been encouraged to move away from shanty towns and into the rainforest. They have been given land which has been cleared to allow farming.
Roads	The 4000km long Trans Amazonia Highway built 1970s. Opened up rainforest, but allowed loggers in.

Protecting the Amazon

- Selective logging. Only fell fully grown trees. Mark sustainable trees for sale.
- Conservation & education. WWF (NGO) educate and train conservation workers. Buy threatened areas.
- Ecotourism. Minimises damage to the environment and benefits locals. This creates incentive to protect the forest.
- International agreements. International Tropical Trade Agreement restricts trade in hard woods.
- Debt reduction. In 2010 the USA converted $13.5 million from Brazil and used to protect forest.

Unit 1b

The Living World

Tropical Rainforest - Animals

- Jaguars have spotted fur. This camouflages them in the dappled shade of the forest floor.
- Parrots have strong, sharp beaks to help them crack open nuts.

- Spider monkeys have a prehensile tail that allows them to cling to branches. Sharp nails allow them to peel bark.
- Poison dart frogs are a bright colour to warn predators away.

Rainforest Climate

Temperatures are high all year (around 28°C). Rainfall is around 250mm per month.

Trophic levels

Trophic Level	Source of Energy	Examples
Producers	Solar energy	Green plants, photosynthetic protists and bacteria
Herbivores	Producers	Grasshoppers, water fleas, antelope, termites
Primary Carnivores	Herbivores	Wolves, spiders, some snakes, warblers
Secondary Carnivores	Primary carnivores	Killer whales, tuna, falcons
Omnivores	Several trophic levels	Humans, rats, opossums, bears, racoons, crabs
Detritivores and Decomposers	Wastes and dead bodies of other organisms	Fungi, many bacteria, earthworms, vultures

At each (trophic) level of the food chain the number of individuals declines. This is because not all individuals in any trophic level are consumed (eaten). This means not all energy is passed up to the next trophic level.

Changes within ecosystems

If any component within an ecosystem is changed it will have a knock on effect on the rest of the ecosystem.
An example of where this happened was in Yellowstone National Park in the USA when they reintroduced wolves in 1995.

16 packs of grey wolves introduced. Each pack kills one elk a day.

Elk population falls from 20,000 to 10,000 in 8 years.

Competition from wolves results in decrease in coyote population.

More kills by wolves = more food for scavengers.

Reduction in grazing pressure. Aspen and cottonwood regenerate. There is more tree cover.

Reduction in predation from coyotes leads to increase in mice and voles.

Increase in populations of grizzly bears, cougars, ravens, magpies and eagles.

Increase in bank side trees stabilises river banks so there is less erosion. More woody debris in rivers creates pools and trout habitats.

Beavers create ponds and flooded areas, which promote growth of aspen.

Regeneration of aspen attracts beavers, which begin to recolonise Yellowstone.

Increased tree cover provides habitats for birds.

Populations of predators of small rodents e.g. red foxes and birds of prey, increase.

Ecosystem - A question of scale

Ecosystems can be any size.
- Local e.g a pond or under a dead log. Also called a habitat.
- Regional e.g. the upland moorland of the Pennines in the north of England.
- Global e.g. tropical rainforest. Also called biomes.

A small scale ecosystem - pond

Small scale ecosystems – Freshwater ponds
Animals and plants living in deeper water at the bottom of the pond will have less light and Oxygen to cope with and ADAPT to.
Living things at the edges of a pond (the margins) have more light and Oxygen, but also have to cope with more wind etc.



Hot deserts

NOT hot desserts

To be defined as a Hot Desert, there must be:
-Less than 250mm of rain a year.
- Diurnal temperatures ranging from 50°C during the day to minus 0°C at night.

Desert - Challenges

Extreme Temperatures Temperatures are over 40 degrees during the day and drop below freezing at night.

Inaccessibility – The Sahara is huge making travel difficult and expensive.

Water Supply - low rainfall makes water for drinking, washing and agriculture difficult to supply.

Desertification – Causes in the Sahel

Desertification is where land is gradually turned into desert, usually on the edge of a desert. It is caused by overgrazing by cattle or trees being cut down for firewood.
Population growth is a key factor. Climate change will lead to more droughts that kill vegetation and cause the problem to spread.
In the area to the south of the **Sahara**, known as the **Sahel** heavy rainstorms can wash away the exposed soil in a couple of hours.

Desert - Opportunities

Mineral resources - mineral resources from the earth can be used by industry or sold for export.

Hydro Electric Power. Dams not only store the precious water but can create clean energy.

Solar energy - with 12 hours of cloudless sunshine every day, deserts are ideal locations for this form of electricity generation.

Tourism – deserts are remote, romantic and exotic locations for tourists.

Farming - only possible where there is access to water through irrigation.

Specific Detail

Sonoran desert has open mines for copper. Uranium and lead are also main products. Uranium extraction has been halted over contamination concerns.

The Hoover dam, Nevada, creates 4billion kilowatts per hour every year. Enough to serve 1.3 million people

The Sonoran Solar project in the Western Desert produces electricity for 100,000 homes.

The Grand Canyon Arizona attracts 45 million visitors per year.
Las Vegas 37 million per year.

The Nada valley California and Coadella valley grow peppers and grapes. Grapes can be used for making fine wines

Desertification – Solutions in the Sahel

Appropriate Technology:

Planting pits- collect nutrients and water

Afforestation - Green wall being planted across the Sahel.

Crop rotation - Keeps nutrients in the soil by avoiding monoculture.

Stone bunds-Keeps nutrients and top soil from being washed away

USA - Western Desert - California, Nevada, Utah, Arizona, New Mexico

Opportunities •Farming using water from aquifers. •Mineral extraction e.g. copper, uranium, lead. •Energy. The Sonoran Solar Project will produce enough energy for 100,000 homes. •Tourism includes the Grand Canyon (4.5 million / year) and Las Vegas (37 million visits / year).

Challenges •Temperatures reach up to 50°C. •Lack of roads meant limited access until late 1800s. •Water is limited and has to be transported from the Colorado River. •Over-extraction leads to conflict.

Desert plants

High temperatures should lead to rapid growth but this is not possible due to the lack of moisture. Vegetation is sparse and usually confined to water holes.

Lack of rainfall is the main limit on plant growth. Plants have thin leaves or spines to reduce water loss and long roots to reach deep underground water. The Cactus is a common desert plant.



Desert Animals

The limited number of producers means the number of consumers is also low.

Animals need to be able to tolerate the range of temperatures in the desert. Many do this by staying underground during the day. They also need to find ways to cope with the limited availability of water. Some gain enough water from their food. Others extract water from air.